



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA120570**

### **Product Info**

**Date of Certification** July 8, 2022

Company Panasonic Automotive Systems Co., Ltd.

Car Audio System **Product Name** 

**Product Model Variant** Source

**Model Number** CN-ST2CE3FX

Other Category

**Sub-category** In-vehicle Network

### **Summary of Certifications**

**CERTIFICATION** CLASSIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization WMM®** 

WMM®-Power Save

Security **Protected Management Frames** 

> WPA2™-Personal 2020-02 WPA3™-Personal 2020-02

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



**Certification ID: WFA120570** 



Role: Access Point	Page 2 of 6

### Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux 4.14.75

Wi-Fi Component Firmware

17.68.4.p6

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	2	2

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

#### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

#### **Spectrum & Regulatory**

802.11d

#### **WMM®**

#### WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2020-02

### WPA3™-Personal 2020-02

## Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx



**Certification ID: WFA120570** 



Role: Access Point	Page 3 of 6
Wi-Fi Protected Setup™	
PIN Pushbutton	



**Certification ID: WFA120570** 



Role: Station		P	age 4 of 6	
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux 4.14.75	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	1	1	
17.68.4.p6	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED	Wi-Fi CERTIFIED™ ac		
20 MHz Channel Width in 2.4 GHz	A-MPDU with A-MSDU LDPC Rx			
5 GHz Spectrum Capabilities	MCS 8-9 Rx Short Guard Interval			
20 MHz Channel Width in 5 GHz	STBC			
40 MHz Channel Width in 5 GHz	LDPC Tx SU beamformee			
80 MHz Channel Width in 5 GHz				
Protected Management Frames	Wi-Fi CERTIFIED	™ b		
WMM®	Wi-Fi CERTIFIED	™ g		
WMM®-Power Save	Wi-Fi CERTIFIED	™ n		
Legacy Power Save	STBC			
Unschedule auto PS	A-MPDU Tx  HT Duplicate Mode			
	OBSS on Extension Ch	annel		
WPA2™-Personal 2020-02	Power Management Short Guard Interval			
WPA3™-Personal 2020-02	Short Suard Interval			
	Wi-Fi Direct®			

Wi-Fi Protected Setup™



**Certification ID: WFA120570** 









Role: Display Page 6 of 6		age 6 of 6	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 4.14.75  Wi-Fi Component Firmware  17.68.4.p6	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	1	1
	5 GHz	2	2
Certifications  Miracast®  HDCP Encryption			