



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120585

Product Info

Date of Certification	October 5, 2022	
Company	Google, Inc.	
Product Name	GWKK3, GHL1X, G82U8	
Product Model Variant	GWKK3	
Model Number	GWKK3, GHL1X, G82U8	
Category	Phones	
Sub-category	Smartphone	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise Wi-Fi Aware™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01



Certification ID: WFA120585



Summary of Certifica	tions (continued)	Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12	
Spectrum & Regulatory Features	Spectrum & Regulatory	



Certification ID: WFA120585



Role: Access Point		Pa	age 3 of 7
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture		
Android Wi-Fi Component Firmware lynx-userdebug 13 TD2A.220719.001 8843759 dev-keys	Bands Supported 2.4 GHz 5 GHz	Transmit (Tx) 2 2	Receive (Rx) 2 2
Certifications			
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED	6® (continued)	
20 MHz Channel Width in 2.4 GHz	MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx		
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	MCS 10-11 TX MCS 10-11 Tx SU-MIMO TXOP RTS Threshold		
Protected Management Frames			
- WMM®	Wi-Fi CERTIFIED ^{TI} RTS with BW Signaling	" ac	_
WPA2™-Personal 2021-01	A-MPDU with A-MSDU		
WPA3™-Personal 2020-12	LDPC Tx MCS 8-9 Rx		
Wi-Fi CERTIFIED 6®	Short Guard Interval STBC		
A-MPDU with A-MSDU Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256)	Wi-Fi CERTIFIED™	™ b	-
LDPC Tx	Wi-Fi CERTIFIED	^м g	
	Wi-Fi CERTIFIED™	^м n	



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA120585



Role: Access Point

Page 4 of 7 Wi-Fi CERTIFIED™ n (continued) OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx



Certification ID: WFA120585



Role: Station Page 5 of 7 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 lynx-userdebug 13 TD2A.220719.001 5 GHz 2 2 8843759 dev-keys 6 GHz 2 2 Certifications

2.4 GHz Spectrum Capabilities	WMM®
20 MHz Channel Width in 2.4 GHz	WMM®-Admission Control
5 GHz Spectrum Capabilities	WMM®-Power Save
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Legacy Power Save Unschedule auto PS
	WPA2™-Enterprise 2018-04
6 GHz Spectrum Capabilities	EAP methods
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP AKA EAP AKA Prime EAP SIM EAP TLS EAP TTLS
Protected Management Frames	PEAPv0 PEAPv1
Spectrum & Regulatory	PEAPVI
802.11h	WPA2™-Personal 2021-01
	WPA3™-Enterprise 2020-02
Voice-Enterprise	



Certification ID: WFA120585



Role: Station

Page 6 of 7

WPA3[™]-Enterprise 2020-02 (continued)

EAP methods

EAP AKA EAP AKA Prime EAP SIM EAP TLS EAP TLS EAP TTLS PEAPv0 PEAPv1 192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite Fast Transition OTA on WPA3-Enterprise Fast Transition OTA on WPA3-Enterprise transition mode Server Certificate Validation

WPA3[™]-Personal 2020-12

Fast Transition OTA on WPA3-Personal Fast Transition OTA on WPA3-Personal transition mode

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode BTM Query Cellular Data capable Fast Transition OTA on WPA2-Personal Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU Beamforming sounding BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU PPDU multi-tone DL MU-MIMO HE NDP Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame Operating mode control field Operating mode subfield in A-Control field Operating mode indication SU beamformee SU-MIMO **UL OFDMA** UL TB PPDU multi-tone Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO



Certification ID: WFA120585



Page 7 of 7

Role: Station

Wi-Fi CERTIFIED™ ac (continued)
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n
STBC
A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
Wi-Fi Direct®