



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120654

Product Info

Date of Certification October 21, 2022

Company MediaTek Inc.

Product Name MediaTek MT6639

Product Model Variant MediaTek Filogic 380

Model Number MediaTek Dimensity 9200/9300

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Easy Connect™ Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization TDLS

WMM®

WMM®-Admission Control





Certification ID: WFA120654

Summary of Certifications (continued)		Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Optimization	WMM®-Power Save Wi-Fi Agile Multiband™	
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12	



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120654



Role: Access Point		Page 3 of 7
Ni-Fi Components		
Wi-Fi Component Operating System	RF Architecture	
Android 13	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware Android T0	2.4 GHz 2	2
	5 GHz 2	2
	6 GHz 2	2
Certifications		
2.4 GHz Spectrum Capabilities	WPA2™-Personal 2021-01	
20 MHz Channel Width in 2.4 GHz	WPA3™-Personal 2020-12	
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED 6® Release 2	
20 MHz Channel Width in 5 GHz	A-MPDU with A-MSDU	
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	LDPC Tx	
160 MHz Channel Width in 5 GHz	MCS 8-9 Rx MCS 8-9 Tx	
	MCS 10-11 Rx	
6 GHz Spectrum Capabilities	MCS 10-11 Tx Wi-Fi 6E	
20 MHz Channel Width in 6 GHz	Wi-Fi 6 Release 2 features	
40 MHz Channel Width in 6 GHz	UL Extended Range	
80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz		
	Wi-Fi CERTIFIED™ a	
Protected Management Frames	Wi-Fi CERTIFIED™ ac	
WMM®	A-MPDU with A-MSDU	
WMM®-Power Save	LDPC Rx LDPC Tx	





Certification ID: WFA120654

Page 4 of 7



Certification ID: WFA120654



Role: Station Page 5 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

Android T0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Passpoint® Release 3 (continued)

Operating Class Indication

Network Icon support

Network Information in network selection

Online Sign Up and Policy provisioning

Fast Transition OTA on WPA2-Enterprise

ANQP-element for OSU provider selection

Online Sign Up using single SSID

Venue Information

Terms and Conditions

Roaming Consortium Selection

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

Protected Management Frames

TDLS

Voice-Enterprise

Passpoint® Release 3

Display and input method

Display of HS2.0 indication

NAI Home Realm Query element

WMM®

WMM®-Admission Control

WMM®-Power Save





Certification ID: WFA120654

Role: Station Page 6 of 7

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

ANQP

Beacon Report Measurement Passive Mode

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Wi-Fi Aware™ (continued)

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

TCP/UDP NDP Initiator

TCP/UDP NDP Responder

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU PPDU multi-tone

DL MU-MIMO

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

Target Wake Time information frames





Certification ID: WFA120654

Role: Station	Page 7 of 7
110101 01441011	

Wi-Fi CERTIFIED 6® (continued)

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

Wi-Fi Easy Connect™ (continued)

Bootstrapping methods

QR code responder

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Easy Connect™

Wi-Fi Protected Setup™

PIN

Pushbutton