



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

## Certification ID: WFA119612

### Product Info

<b>Date of Certification</b>	August 15, 2022
<b>Company</b>	Technicolor
<b>Product Name</b>	CGA437A DOCSIS Gateway
<b>Product Model Variant</b>	CGA437ATECO
<b>Model Number</b>	CGA437A
<b>Category</b>	Routers
<b>Sub-category</b>	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

### Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Access</b>	Wi-Fi Protected Setup™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-12
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA119612



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

WLAN 21.2

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	3	3

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

WLAN 21.2

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
5 GHz	4	4

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11d  
802.11h

### WMM®

### WMM® (continued)

Max Throughput

### WPA2™-Personal 2021-01

### WPA3™-Personal 2020-12

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6™

4 antenna support  
A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA119612



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED 6™ (continued)

MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
Operating Mode  
SU beamformer  
SU-MIMO  
TXOP RTS Threshold  
UL OFDMA

## Wi-Fi CERTIFIED™ n (continued)

Short Guard Interval  
STBC  
A-MPDU Tx

## Wi-Fi Protected Setup™

PIN  
Pushbutton

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel