



# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)



**Certification ID: WFA121202**

## Product Info

<b>Date of Certification</b>	August 17, 2022
<b>Company</b>	Cisco Systems
<b>Product Name</b>	Cisco Catalyst 9800 Cloud Wireless Controller and Cisco CW9162I AP
<b>Product Model Variant</b>	Cisco IOS XE: 17.9
<b>Model Number</b>	C9800-CL and CW9162I
<b>Category</b>	Routers
<b>Sub-category</b>	Enterprise/Service Provider Access Point, Switch/Controller or Router

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2021-01
<b>Optimization</b>	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12 WPA™-Enterprise WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA121202



## Summary of Certifications (continued)

Page 2 of 4

### CLASSIFICATION

### CERTIFICATION

Spectrum & Regulatory  
Features

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA121202



Role: Access Point

Page 3 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux, Version: 17.9

### Wi-Fi Component Firmware

17.9

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11d

802.11h

### WMM®

### WMM®-Power Save

Legacy Power Save

Unschedule auto PS

### WPA2™-Enterprise 2018-04

EAP methods

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2020-02

EAP methods

192-bit security

### WPA3™-Personal 2020-12

### WPA™-Enterprise

### WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

## Certification ID: WFA121202



Role: Access Point

Page 4 of 4

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list  
Fast Transition OTA on WPA2-Enterprise  
Fast Transition OTA on WPA2-Personal

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
Co-located BSS  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
M-BSSID  
Operating Mode indication  
SU beamformer  
SU-MIMO  
UL OFDMA  
Wi-Fi 6E  
Wi-Fi 6 Release 2 features

- UL MU Control
- UL Extended Range
- Target Wake Time information frames
- Extended sleep

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling  
Extended 5 GHz Channel Support  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx

### Wi-Fi Enhanced Open™ 2021-01