

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA121292

Product Info

Date of Certification September 2, 2022

Company Jiangsu Toppower Automotive Electronics Co., Ltd.

Product Name CRS3.0

Product Model Variant MQB

Model Number CRS3.0 Radio

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

Security Protected Management Frames

WPA2™-Personal 2018-04



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA121292

Role: Access Point		Page 2 of 3	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1
17	5 GHz	2	2

Wi-Fi Component Firmware 17	Bands Supported Transmit (Tx) Receive (Rx)	
	2.4 GHz 1 1	
	5 GHz 2 2	
Certifications		
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ ac (continued)	
20 MHz Channel Width in 2.4 GHz	STBC	
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ b	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ g	
	Wi-Fi CERTIFIED™ n	
00 1111 2 01 01 1110 1 1110 1 1110 1 1110	WI-FI GERTIFIED II	
Protected Management Frames	OBSS on Extension Channel RIFS	
•	Short Guard Interval	
WMM®	STBC	
WPA2™-Personal 2018-04	A-MPDU Tx	
Wi-Fi CERTIFIED™ a		
	=	
Wi-Fi CERTIFIED™ ac		
A-MPDU with A-MSDU		
LDPC Rx		
LDPC Rx LDPC Tx MCS 8-9 Rx		



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA121292



Role: Station Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

17

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

RIFS

Short Guard Interval