

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA122263

Product Info

Date of Certification October 13, 2022

Company Sagemcom Broadband SAS

Product Name DIW377 ALT ME

Product Model Variant DIW3930

Model Number DIW377

Category Televisions & Set Top Boxes

Sub-category Set Top Box, Media Extender (includes players & recorders)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA122263



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

REL_2_32

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2[™]-Personal 2021-01
WPA3[™]-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2020-02

Wi-Fi Agile Multiband™

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0 PEAPv1 ANQP

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED 6®



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA122263



Role: Station Page 3 of 3

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

BSRP Trigger frame

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

SU beamformee

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval