



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA123206**

## Product Info

<b>Date of Certification</b>	November 10, 2022
<b>Company</b>	ZTE Corporation
<b>Product Name</b>	XGS-PON ONT
<b>Product Model Variant</b>	ZXHN G8605
<b>Model Number</b>	ZXHN G8605
<b>Category</b>	Routers
<b>Sub-category</b>	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Access</b>	Wi-Fi Protected Setup™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-02



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA123206



Role: Access Point

Page 2 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

V1.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

- 20 MHz Channel Width in 2.4 GHz
- 40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

- 20 MHz Channel Width in 5 GHz
- 40 MHz Channel Width in 5 GHz
- 80 MHz Channel Width in 5 GHz
- 160 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2020-02

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

### Wi-Fi CERTIFIED 6® (continued)

- BSRP Trigger frame
- Compressed Block Ack Rx (buffer size 256)
- Compressed Block Ack Tx (buffer size 256)
- DL MU-MIMO
- DL OFDMA
- Individual Target Wake Time
- LDPC Rx
- LDPC Tx
- MCS 8-9 Rx
- MCS 8-9 Tx
- MCS 10-11 Rx
- MCS 10-11 Tx
- MU EDCA Parameter Set element
- MU-RTS Trigger frame
- Operating mode indication
- SU beamformer
- SU-MIMO
- TXOP RTS Threshold
- UL OFDMA

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA123206



Role: Access Point

Page 3 of 4

## Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx

## Wi-Fi Protected Setup™

PIN  
Pushbutton



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA123206



**Role: Controller**

**Page 4 of 4**

## Wi-Fi Components

Wi-Fi Component Operating System

Linux

## Certifications

Wi-Fi EasyMesh™