



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120000

Product Info

Date of Certification November 8, 2022

Company Zebra Technologies

Product Name TC53

Product Model Variant 2022-11-09

Model Number TC53

Category Phones

Sub-category Phone, multi-mode (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04





Certification ID: WFA120000

Summary of Certifications (continued)	
---------------------------------------	--

Page 2 of 5

CLASSIFICATION CERTIFICATION

Security WPA2[™]-Personal 2021-01

WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-12

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory







Role: Station Page 3 of 8			age 3 of 5
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:11	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware 1.1.2.0.461.0	2.4 GHz	2	2
1.1.2.0.401.0	5 GHz	2	2
	6 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Voice-Enterprise		
20 MHz Channel Width in 2.4 GHz	WMM®		
5 GHz Spectrum Capabilities	WMM®-Admission	n Control	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WMM®-Power Save Legacy Power Save Unschedule auto PS	/e	

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

WPA2™-Enterprise 2018-04

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods



Certification ID: WFA120000



Role: Station Page 4 of 5

WPA3™-Enterprise 2020-02 (continued)

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

WPA3™-Personal 2020-12

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL Mu PPDU multi-tone

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating Mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU





Certification ID: WFA120000

Role: Station Page 5 of 5 Wi-Fi CERTIFIED™ ac (continued) DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n **STBC** A-MPDU Tx **OBSS** on Extension Channel Short Guard Interval Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01 Wi-Fi Optimized Connectivity™ 2020 Active Scan Fast Transition OTA on WPA2-Enterprise

Wi-Fi QoS Management™

Probe Deferral and Suppression

Pushbutton