



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA123621

Product Info

Date of Certification	August 14, 2023
Company	Buffalo Inc.
Product Name	BUFFALO AirStation WSR-3000AX4P
Product Model Variant	WSR-3000AX4P
Model Number	WSR-3000AX4P
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2022-06 WPA™-Personal
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA123621



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux, Version 5.4.225

Wi-Fi Component Firmware

1.00

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz
160 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d
802.11h

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

WPA™-Personal

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list
Cellular Data aware

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
Basic Trigger frame in HE MU PPDU
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU-MIMO
DL OFDMA
Individual Target Wake Time
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
MU EDCA Parameter Set element
MU-BAR Trigger frame
MU-RTS Trigger frame



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA123621



Role: Access Point

Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

M-BSSID
Operating Mode indication
SU beamformer
SU-MIMO
TXOP RTS Threshold
UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi EasyMesh™

Wi-Fi EasyMesh™ (continued)

Backhaul Link
 Backhaul in 2.4 GHz
 Backhaul in 5 GHz low band
 Backhaul over Ethernet
Fronthaul Access Point
 Fronthaul in 2.4 GHz
 Fronthaul in 5 GHz low band
Client Capability Query
Agent-initiated Steering capability
Unassociated STA Link Metrics Reporting
Channel Scan on Request
Backhaul onboarding with Pushbutton
Coordinated CAC
Traffic separation



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA123621



Role: Controller

Page 4 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux, Version 5.4.225

Certifications

Wi-Fi EasyMesh™