



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA116443

Product Info

Date of Certification November 22, 2022

Company Hewlett Packard Enterprise

Product Name Aruba Multiservice Mobility Controller/AP-635 Access Point

Product Model Variant 635

Model Number AP-635

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Wi-Fi Location™ R1

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

WPA™-Enterprise





Certification ID: WFA116443

Summary of Certifications (continued)		Page 2 of 4
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Personal	





Certification ID: WFA116443

Role: Access Point	P	age 3 of 4			
Wi-Fi Components					
Wi-Fi Component Operating System	RF Architecture				
Proprietary / Other, description:Aruba OS	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware AOS 8	2.4 GHz	2	2		
	5 GHz	2	2		
	6 GHz	2	2		
Certifications					
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)				
20 MHz Channel Width in 2.4 GHz	Unschedule auto PS				
5 GHz Spectrum Capabilities	WPA2™-Enterpris	e 2018-04			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods				
80 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01				
6 GHz Spectrum Capabilities	WPA3™-Enterprise 2020-02				
20 MHz Channel Width in 6 GHz	EAP methods				
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	192-bit security				
	WPA3™-Personal	2020-02			
Protected Management Frames	WPA™-Enterprise				
WMM®	WPA™-Personal				
WMM®-Power Save	Wi-Fi Agile Multiband™				
Legacy Power Save	THE PARTIES				







Role: Access Point Page 4 of 4

Wi-Fi Agile Multiband™ (continued)

Automatically populate BSS Transition candidate list

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-RTS Trigger frame

M-BSSID

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Location™ R1

Fine Timing Measurement 2017