



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: <a href="www.wi-fi.org/certification/programs">www.wi-fi.org/certification/programs</a>

**Certification ID: WFA124381** 

# **Product Info**

**Date of Certification** December 27, 2022

Company Google, Inc.

Product Name G9FPL, G0B96

Product Model Variant G9FPL, G0B96

Model Number G9FPL, G0B96

**Category** Phones

**Sub-category** Smartphone

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Voice-Enterprise

Wi-Fi Aware™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames





**Certification ID: WFA124381** 

Summary of Certifica	tions (continued)	Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2020-02 WPA3 <sup>™</sup> -Personal 2020-02 WPA3 <sup>™</sup> -Personal 2020-12 WPA <sup>™</sup> -Enterprise WPA <sup>™</sup> -Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	



**Certification ID: WFA124381** 



Role: Access Point Page 3 of 6

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android

Wi-Fi Component Firmware

20.25.485.7

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

**Certifications** 

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2021-01

WPA3<sup>™</sup>-Personal 2020<u>-</u>02

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED 6® (continued)

Operating Mode indication

SU-MIMO

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



**Certification ID: WFA124381** 



Role: Station		P	age 4 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
20.25.485.7	5 GHz	2	2
	6 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Voice-Enterprise		
20 MHz Channel Width in 2.4 GHz	WMM®		
5 GHz Spectrum Capabilities	WMM®-Admission	Control	
	WMM®-Power Sav	'e	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Legacy Power Save		
80 MHz Channel Width in 5 GHz  160 MHz Channel Width in 5 GHz	Unschedule auto PS		
6 GHz Spectrum Capabilities	WPA2™-Enterpris	e 2018-04	
20 MHz Channel Width in 6 GHz	EAP methods EAP AKA		
40 MHz Channel Width in 6 GHz	EAP AKA Prime		
160 MHz Channel Width in 6 GHz	EAP SIM EAP TLS		
	EAP TTLS		
Protected Management Frames	PEAPv0 PEAPv1		
Spectrum & Regulatory			
802.11h	WPA2™-Personal	2021-01	





**Certification ID: WFA124381** 

Role: Station Page 5 of 6

## WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

**EAP AKA Prime** 

**EAP SIM** 

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384

cipher suite

Server Certificate Validation

### WPA3™-Personal 2020-12

# WPA™-Enterprise

## **WPA™-Personal**

## Wi-Fi Agile Multiband™

**ANQP** 

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

## Wi-Fi Aware™

#### Wi-Fi CERTIFIED 6®

### Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

DL Mu PPDU multi-tone

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

Operating Mode indication

SU beamformee

SU-MIMO

**UL OFDMA** 

UL TB PPDU multi-tone

Wi-Fi 6E

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx





**Certification ID: WFA124381** 

Role: Station	
Wi-Fi CERTIFIED™ ac (co	ntinued)
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 20	21-01
Wi-Fi Protected Setup™	
Pushbutton	