

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# Certification ID: WFA119462

### **Product Info**

Date of Certification	January 5, 2023
Company	Cambium Networks Ltd.
Product Name	Cambium XV2-2T1 Wi-Fi 6 Outdoor Enterprise Access Point
Product Model Variant	XV2-2T1 Passpoint
Model Number	XV2-2T1
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

### **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 3
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-02
Spectrum & Regulatory Features	Spectrum & Regulatory



# Wi-Fi CERTIFIED<sup>™</sup> Certificate

Certification ID: WFA119462



Role: Access Point	P	Page 2 of 3	
Wi-Fi Components			
Wi-Fi Component Operating System	<b>RF Architecture</b>		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware 6.4.1-a0	2.4 GHz	2	2
0.4.1 00	5 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 2.4 GHz	WPA2™-Enterprise 2018-04		
5 GHz Spectrum Capabilities	EAP methods		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01		
80 MHz Channel Width in 5 GHz	WPA3™-Enterprise 2020-02		
Passpoint® Release 3	EAP methods 192-bit security		
Online Sign Up and Policy provisioning			_
Online Sign Up using single SSID Roaming Consortium Selection	WPA3™-Personal 2020-02		
Venue Information Terms and Conditions	Wi-Fi Agile Multiba	and™	
	Wi-Fi CERTIFIED 6	R	
Protected Management Frames	A-MPDU with A-MSDU		
Spectrum & Regulatory	Basic Trigger frame in H Beamforming sounding	E MU PPDU	
802.11d	BSRP Trigger frame		
802.11h	Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256)		



# Wi-Fi CERTIFIED™ Certificate

## Certification ID: WFA119462



Page 3 of 3

#### **Role: Access Point**

## Wi-Fi CERTIFIED 6® (continued)

DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element **MU-BAR Trigger frame MU-RTS** Trigger frame Operating Mode indication SU beamformer TXOP RTS Threshold **UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

#### Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx