

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA124991**

## **Product Info**

Date of Certification	February 16, 2023
Company	Xiaomi Communications
Product Name	Xiaomi 5G CPE Pro
Product Model Variant	CB0401V2
Model Number	CB0401V2
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-12



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA124991** 



### **Role: Access Point**

Page 2 of 3

Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 4.4.60	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
1.0.1			
Wi-Fi Component Operating System	RF Architecture		
	<b>RF Architecture</b> Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Operating System		Transmit (Tx)	Receive (Rx)

### Certifications

2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED 6®
20 MHz Channel Width in 2.4 GHz	4 antenna support
40 MHz Channel Width in 2.4 GHz	A-MPDU with A-MSDU
	Basic Trigger frame in HE MU PPDU
5 GHz Spectrum Capabilities	BSRP Trigger frame Compressed Block Ack Rx (buffer size 256)
····	Compressed Block Ack Tx (buffer size 256)
20 MHz Channel Width in 5 GHz	DL MU-MIMO
40 MHz Channel Width in 5 GHz	DL OFDMA
80 MHz Channel Width in 5 GHz	Individual Target Wake Time
160 MHz Channel Width in 5 GHz	LDPC Rx
	LDPC Tx
Protected Management Frames	MCS 8-9 Rx
	MCS 8-9 Tx
WMM®	MCS 10-11 Rx
	MCS 10-11 Tx
WPA2™-Personal 2021-01	MU EDCA Parameter Set element
	MU-BAR Trigger frame
WPA3™-Personal 2020-12	MU-RTS Trigger frame
	Operating mode subfield in A-Control field
Wi-Fi Agile Multiband™	Operating mode indication

This certificate was downloaded on 2025-04-22 at 06:02:04 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter<sup>™</sup> is a trademark of the Connectivity Standards Alliance.



# Wi-Fi CERTIFIED™ Certificate

## **Certification ID: WFA124991**



### **Role: Access Point**

Page 3 of 3

### Wi-Fi CERTIFIED 6® (continued)

Operating mode UL MU Rx SU beamformer SU-MIMO TXOP RTS Threshold UL OFDMA

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8 Rx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC

This certificate was downloaded on 2025-04-22 at 06:02:04 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter<sup>™</sup> is a trademark of the Connectivity Standards Alliance.