



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA125296

Product Info

Date of Certification March 14, 2023

Company Motorola Mobility LLC

Product Name XT2201-2

Product Model Variant XT2201-2 (Android 13)

Model Number XT2201-2

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames



Spectrum & Regulatory

Features

Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA125296

Summary of Certifications (continued)		Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2022-06 WPA [™] -Enterprise WPA [™] -Personal	

Spectrum & Regulatory



Certification ID: WFA125296



Role: Access Point Page 3 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

WLAN.HSP.2.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities Wi-Fi C

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Short Guard Interval

STBC

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

WPA™-Personal

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU LDPC Rx

LD1 0 100

LDPC Tx

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC



Certification ID: WFA125296



Role: Station		P	age 4 of 7	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 13	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
WLAN.HSP.2.0	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Voice-Enterprise	Voice-Enterprise		
20 MHz Channel Width in 2.4 GHz	WMM®			
5 GHz Spectrum Capabilities	Hz Spectrum Capabilities WMM®-Admission Control			
20 MHz Channel Width in 5 GHz	WMM®-Power Sa	WMM®-Power Save Unschedule auto PS		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Unschedule auto PS			
160 MHz Channel Width in 5 GHz				
	WPA2™-Enterpris	se 2018-04		
6 GHz Spectrum Capabilities	EAP methods			
20 MHz Channel Width in 6 GHz	EAP AKA EAP AKA Prime			
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP SIM			
00 WHZ CHAINE WIGHT II 0 OHZ	EAP TLS EAP TTLS			
Protected Management Frames	PEAPv0			
Spectrum & Regulatory	PEAPv1			
	WPA2™-Personal	2021-01		
802.11h				
	WPA3™-Enterpris	se 2020-02		





Certification ID: WFA125296

Role: Station Page 5 of 7

WPA3[™]-Enterprise 2020-02 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2022-06

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL Mu PPDU multi-tone

DL MU-MIMO

Wi-Fi CERTIFIED 6® (continued)

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating Mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b





Certification ID: WFA125296

ole: Station	Page
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel	
Power Management	
Short Guard Interval	
STBC	
AV: F: Divo et 0	
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 2021-01	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	
Pushbutton	





Certification ID: WFA125296

Role: Source	Page 7 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 13	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
WLAN.HSP.2.0	5 GHz	2	2
Certifications	_		
Miracast®			
Miracast®			