



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA125297

Product Info

Date of Certification	March 14, 2023
Company	Motorola Mobility LLC
Product Name	XT2201-3
Product Model Variant	XT2201-3 (Android 13)
Model Number	XT2201-3
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Applications & Services	Miracast® Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames



Certification ID: WFA125297



Summary of Certifica	tions (continued)	Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2022-06 WPA [™] -Enterprise WPA [™] -Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	



Certification ID: WFA125297



Role: Access Point		Page 3 of 7			
Vi-Fi Components					
Wi-Fi Component Operating System	RF Architecture				
Android 13	Bands Supported Tra	nsmit (Tx) Receive (Rx)			
Wi-Fi Component Firmware WLAN.HSP.2.0	2.4 GHz 2	2			
	5 GHz 2	2			
Certifications					
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ a	Wi-Fi CERTIFIED™ a			
20 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED™ ac	Wi-Fi CERTIFIED™ ac			
5 GHz Spectrum Capabilities	A-MPDU with A-MSDU				
20 MHz Channel Width in 5 GHz	LDPC Rx LDPC Tx				
40 MHz Channel Width in 5 GHz	Short Guard Interval STBC				
80 MHz Channel Width in 5 GHz					
Protected Management Frames	Wi-Fi CERTIFIED™ b				
WMM®	Wi-Fi CERTIFIED™ g				
WPA2™-Personal 2021-01	Wi-Fi CERTIFIED™ n				
WPA3™-Personal 2022-06	A-MPDU Tx OBSS on Extension Channel				
WPA™-Personal	Short Guard Interval STBC				
Wi-Fi CERTIFIED 6®					
A-MPDU with A-MSDU					
LDPC Rx					



Certification ID: WFA125297



Page 4 of 7

Role: Station

Wi-Fi Components Wi-Fi Component Operating System **RF** Architecture Android 13 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 WLAN.HSP.2.0 5 GHz 2 2 6 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities	Voice-Enterprise
20 MHz Channel Width in 2.4 GHz	WMM®
5 GHz Spectrum Capabilities	WMM®-Admission Control
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WMM®-Power Save
	Unschedule auto PS
	WPA2™-Enterprise 2018-04
6 GHz Spectrum Capabilities	EAP methods
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP AKA EAP AKA Prime EAP SIM EAP TLS
Protected Management Frames	EAP TTLS PEAPv0 PEAPv1
Spectrum & Regulatory	
802.11h	WPA2™-Personal 2021-01
	WPA3™-Enterprise 2020-02



Certification ID: WFA125297



Role: Station

Page 5 of 7

WPA3™-Enterprise 2020-02 (continued)

EAP methods EAP AKA EAP AKA Prime EAP SIM EAP TLS EAP TLS PEAPv0 PEAPv1 Server Certificate Validation

WPA3[™]-Personal 2022-06

WPA™-Enterprise

WPA[™]-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode BTM Query Cellular Data capable

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU Beamforming sounding BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL Mu PPDU multi-tone DL MU-MIMO HE NDP Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame OM Control field Tx OM subfield in A-Control field Operating Mode indication SU beamformee SU-MIMO **UL OFDMA** UL TB PPDU multi-tone Wi-Fi 6E

Wi-Fi CERTIFIED 6® (continued)

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

This certificate was downloaded on 2024-05-02 at 08:49:45 UTC



Certification ID: WFA125297



Role: Station

Page 6 of 7

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Power Management Short Guard Interval STBC

Wi-Fi Direct®

Wi-Fi Enhanced Open[™] 2021-01

Wi-Fi Protected Setup™

PIN

Pushbutton



Certification ID: WFA125297



Role: Source		Page 7 of 7	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 13 Wi-Fi Component Firmware WLAN.HSP.2.0	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	2	2
Certifications			

Miracast®