



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA118321

Product Info

Date of Certification April 13, 2023

Company Buffalo Inc.

Product Name BUFFALO AirStation WSR-6000AX8

Product Model Variant WSR-6000AX8P-MB

Model Number WSR-6000AX8

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2020-12

Spectrum & Regulatory

Features

Spectrum & Regulatory



Certification ID: WFA118321



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux, Version: 5.4.171

Wi-Fi Component Firmware

7.6.2.1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 4

Wi-Fi Component Operating System

Linux, Version: 5.4.171

Wi-Fi Component Firmware

7.6.2.1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 4 4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

WPA2™-Personal 2021-01

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED 6®

4 antenna support

Cellular Data aware

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

Protected Management Frames

Spectrum & Regulatory

802.11d

802.11h

WMM®







Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi EasyMesh™

Backhaul Link

Backhaul in 2.4 GHz

Backhaul in 5 GHz low band

Backhaul over Ethernet

Fronthaul Access Point

Fronthaul in 2.4 GHz

Fronthaul in 5 GHz low band

Client Capability Query

Agent-initiated Steering capability

Unassociated STA Link Metrics Reporting

Channel Scan on Request

Backhaul onboarding with Wi-Fi Protected Setup pushbutton

Coordinated CAC

Traffic separation





Certification ID: WFA118321

Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux, Version: 5.4.171

Certifications

Wi-Fi EasyMesh™