

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA126059

Product Info

Date of Certification	February 20, 2024
Company	MediaTek Inc.
Product Name	MediaTek Filogic 380 - MT7927
Product Model Variant	NA
Model Number	MediaTek Filogic 380 - MT7927
Category	Other
Sub-category	Reference Design

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2022-06



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126059



Summary of Certifications (continued)Page 2 of 4CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory
FeaturesSpectrum & Regulatory

This certificate was downloaded on 2024-07-27 at 08:14:21 UTC



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA126059



Role: Station Page 3 of 4 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Windows Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 Windows11 5 GHz 2 2 6 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11h
5 GHz Spectrum Capabilities	WMM®
	WMM®-Power Save
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Unschedule auto PS
160 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04
6 GHz Spectrum Capabilities	EAP methods
20 MHz Channel Width in 6 GHz	EAP TLS PEAPv0
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	
160 MHz Channel Width in 6 GHz	WPA2™-Personal 2021-01
Protected Management Frames	WPA3™-Enterprise 2022-12
Frotected Management Frames	EAP methods
Spectrum & Regulatory	EAP TLS PEAPv0



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126059



Role: Station

Page 4 of 4

WPA3[™]-Enterprise 2022-12 (continued)

192-bit security Server Certificate Validation

WPA3[™]-Personal 2022-06

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL MU PPDU multi-tone LDPC Tx LDPC Rx MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set element **MU-BAR** Trigger frame MU-RTS Trigger frame Operating mode subfield in A-Control field Operating mode indication SU beamformee SU-MIMO UL OFDMA UL TB PPDU multi-tone Wi-Fi 6E Multiple M-BSSID

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

PIN Pushbutton