



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA126066

Product Info

Date of Certification May 3, 2023

Company Burmester Audiosysteme GmbH

Product Name Burmester 232

Product Model Variant none

Model Number 232

Other Category

Sub-category Infotainment

Summary of Certifications

CLASSIFICATION **CERTIFICATION**

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

Network management WMM®

> WMM®-Power Save Wi-Fi Agile Multiband™

Security **Protected Management Frames**

> WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-02 Wi-Fi Enhanced Open™ 2021-01

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

> 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities

Spectrum & Regulatory

Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b



Certification ID: WFA126066



Summary of Certifications (continued)		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	



Certification ID: WFA126066



Role: Station	Page 3 of 5			
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Windows 11	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
22.70				
	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11h	802.11h		
40 MHz Channel Width in 2.4 GHz				
	WMM®			
5 GHz Spectrum Capabilities				
20 MHz Channel Width in 5 GHz	WMM®-Power Sa	WMM®-Power Save		
40 MHz Channel Width in 5 GHz	Legacy Power Save			
80 MHz Channel Width in 5 GHz	Unschedule auto PS	Unschedule auto PS		
160 MHz Channel Width in 5 GHz				
	WPA2™-Enterpri	se 2018-04		
6 GHz Spectrum Capabilities	EAP methods			
20 MHz Channel Width in 6 GHz	EAP TLS			
40 MHz Channel Width in 6 GHz	EAP TTLS			
80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz	PEAPv0			
100 WHIZ CHAINER WIGHT III O CHZ				
	WPA2™-Persona	I 2021-01		

Protected Management Frames

Spectrum & Regulatory

WPA3™-Enterprise 2020-02

EAP methods



Certification ID: WFA126066



Role: Station Page 4 of 5

WPA3™-Enterprise 2020-02 (continued)

EAP TLS

EAP TTLS

PEAPv0

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Server Certificate Validation

WPA3™-Personal 2020-02

Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Wi-Fi CERTIFIED 6® Release 2 (continued)

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

UL OFDMA

Wi-Fi 6E

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





Certification ID: WFA126066

Role: Station

Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx
OBSS on Extension Channel
Power Management
Short Guard Interval
STBC

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

PIN
Pushbutton