



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA126146

Product Info

Date of Certification May 10, 2023

Company Panasonic Automotive Systems Co., Ltd.

Product Name Car Audio System

Product Model Variant Source

Model Number CV-RLFCA1AJ

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Personal 2020-02 WPA3[™]-Personal 2020-02

WPA™-Personal

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA126146



Role: Access Point Page 2 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.4.p6

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ a

WPA3™-Personal 2020-02

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Spectrum & Regulatory

802.11d

Wi-Fi CERTIFIED™ b

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2020-02

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC





Certification ID: WFA126146







| Role: Station | Page 4 of 6 |
|---------------|-------------|
| Role. Station | raye 4 01 0 |

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.4.p6

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 1 | 1 |
| 5 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Protected Management Frames

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2020-02

WPA3™-Personal 2020-02

WPA™-Personal

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Power Management

Short Guard Interval

STBC

Wi-Fi Direct®





Certification ID: WFA126146

| Role: Station | Page 5 of 6 |
|------------------------|-------------|
| Wi-Fi Protected Setup™ | |
| PIN Pushbutton | |





Certification ID: WFA126146

| Role: Display Page 6 of 6 | | | age 6 of 6 |
|--|-----------------|---------------|--------------|
| Wi-Fi Components | | | |
| Wi-Fi Component Operating System Linux 4.14.75 Wi-Fi Component Firmware 17.68.4.p6 | RF Architecture | | |
| | Bands Supported | Transmit (Tx) | Receive (Rx) |
| | 2.4 GHz | 1 | 1 |
| | 5 GHz | 2 | 2 |
| Certifications Miracast® HDCP Encryption | | | |