



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA126155**

#### **Product Info**

**Date of Certification** June 19, 2023

Company Cisco Systems

Product Name Cisco Catalyst 9800-L Wireless Controller and Cisco IW9167 AP

Product Model Variant C9800-L and IW9167IH, Cisco IOS XE: 17.12 (Internal Antenna Variant)

Model Number C9800-L and IW9167

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

### **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
----------------	---------------

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2022-06

WPA™-Enterprise WPA™-Personal







Page 2 of 4

**Summary of Certifications (continued)** 

CERTIFICATION

Spectrum & Regulatory

CLASSIFICATION

Spectrum & Regulatory

**Features** 



**Certification ID: WFA126155** 



Role: Access Point	Page 3 of 4		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux, Version: 17.12	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	4	4
17.12	5 GHz	4	4
	6 GHz	4	4
Certifications			
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04		
20 MHz Channel Width in 2.4 GHz	EAP methods		
5 GHz Spectrum Capabilities	WPA2™-Personal 2021-01		
20 MHz Channel Width in 5 GHz	WPA3™-Enterprise 2022-12		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods		
	192-bit security  Fast Transition OTA on	WPA3-Enterprise	
Protected Management Frames	Fast Transition OTA on WPA3-Enterprise transition mode		
Spectrum & Regulatory	Fast Transition OTDS o	n WPA3-Enterprise	
802.11d	WPA3™-Personal 2022-06		
802.11h	WPA™-Enterprise		
WMM®		7	
	WPA™-Personal		
WMM®-Power Save	Wi-Fi Agile Multib	and™	
Legacy Power Save Unschedule auto PS	Automatically populate BSS Transition candidate list		
Should date 1 G	Fast Transition OTA on	WPA2-Enterprise	







Role: Access Point Page 4 of 4

#### Wi-Fi Agile Multiband™ (continued)

Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6® Release 2

4 antenna support

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

**UL OFDMA** 

Wi-Fi 6 Release 2 features

UL MU-MIMO

**UL MU Control** 

**UL Extended Range** 

Target Wake Time information frames

Extended sleep

Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

#### Wi-Fi Enhanced Open™ 2021-01