

## Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA126155**

### **Product Info**

**Date of Certification** June 19, 2023

Company Cisco Systems

Product Name Cisco Catalyst 9800-L Wireless Controller and Cisco IW9167 AP

**Product Model Variant** C9800-L and IW9167IH, Cisco IOS XE: 17.12 (Internal Antenna Variant)

Model Number C9800-L and IW9167

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2022-06

Spectrum & Regulatory

gulatory Spectrum & Regulatory

**Features** 



Legacy Power Save
Unschedule auto PS

# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA126155** 



Role: Access Point		Pa	Page 2 of 3	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux, Version: 17.12	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 17.12	2.4 GHz	4	4	
	5 GHz	4	4	
	6 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterpri	WPA2™-Enterprise 2018-04		
20 MHz Channel Width in 2.4 GHz	EAP methods			
5 GHz Spectrum Capabilities	WPA2™-Persona	1 2024 04		
3 GHZ Spectrum Capabilities	WFAZ ***-FEISOIId	11 2021-01		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA3™-Enterprise 2022-12			
80 MHz Channel Width in 5 GHz	EAP methods			
	192-bit security  Fast Transition OTA on WPA3-Enterprise			
Protected Management Frames		Fast Transition OTA on WPA3-Enterprise transition mode  Fast Transition OTDS on WPA3-Enterprise		
Spectrum & Regulatory	Tast Hansholl OTDS	on wras-Litterprise		
802.11d	WPA3™-Personal 2022-06			
802.11h	Wi-Fi Agile Multil	oand™		
WMM®		Automatically populate BSS Transition candidate list		
WMM® Power Save		Fast Transition OTA on WPA2-Enterprise		
WMM®-Power Save	Fast Transition OTA or	n WPA2-Personal		
Lawara Barran Carra				

Wi-Fi CERTIFIED 6® Release 2



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA126155** 



Role: Access Point Page 3 of 3

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

4 antenna support

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

**UL OFDMA** 

Co-located BSS

Wi-Fi 6 Release 2 features

UL MU-MIMO

**UL MU Control** 

**UL Extended Range** 

Target Wake Time information frames

Extended sleep

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

#### Wi-Fi CERTIFIED™ ac (continued)

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

**STBC** 

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC

#### Wi-Fi Enhanced Open™ 2021-01