



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA126322**

### **Product Info**

**Date of Certification** May 16, 2023

Company Panasonic Automotive Systems Co., Ltd.

Car Audio System **Product Name** 

**Product Model Variant** Source

**Model Number** CK-CS1DE0AE

Other Category

**Sub-category** In-vehicle Network

### **Summary of Certifications**

**CERTIFICATION** CLASSIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization WMM®** 

WMM®-Power Save

Security **Protected Management Frames** 

> WPA2™-Personal 2020-02 WPA3™-Personal 2020-02

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



**Certification ID: WFA126322** 



Role: Access Point	Page 2 of 6

### Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.4.p6

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	2	2

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

#### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

### Spectrum & Regulatory

802.11d

#### **WMM®**

#### WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2020-02

## WPA3™-Personal 2020-02

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC



**Certification ID: WFA126322** 



Role: Access Point	Page 3 of 6		
Wi-Fi Protected Setup™			
PIN Pushbutton			



**Certification ID: WFA126322** 



Role: Station Page 4 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.4.p6

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

A-MPDU with A-MSDU

Wi-Fi CERTIFIED™ ac

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

5 GHz Spectrum Capabilities

**Protected Management Frames** 

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

**WMM®** 

**WMM®-Power Save** 

Legacy Power Save

Unschedule auto PS

WPA2™-Personal 2020-02

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

**Power Management** 

Short Guard Interval

STBC

Wi-Fi Direct®

Wi-Fi Protected Setup™



**Certification ID: WFA126322** 





Certification ID: WFA126322



Role: Display	ole: Display Page 6 of 6			
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture	RF Architecture		
Linux 4.14.75  Wi-Fi Component Firmware  17.68.4.p6	Bands Supported	Transmit (Tx)	Receive (Rx)	
	2.4 GHz	1	1	
	5 GHz	2	2	
Certifications  Miracast®  HDCP Encryption				