

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA126676

Product Info

Date of Certification August 14, 2023

Company MaxLinear Inc.

Product Name Maxlinear Wi-Fi 7 Triband Access Point

Product Model Variant Maxlinear Wi-Fi 7 Triband Access Point

Model Number ZURX851-HDK-2

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA126676

Role: Access Point		Page 2 of 3
Wi-Fi Components		
Wi-Fi Component Operating System	RF Architecture	
Linux Kernel 5.15	Bands Supported Tr	ransmit (Tx) Receive (Rx)
Wi-Fi Component Firmware 6.1.0	2.4 GHz 4	4
	5 GHz 4	4
	6 GHz 4	4
Certifications		
2.4 GHz Spectrum Capabilities	Spectrum & Regulator	ry (continued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11d	
5 GHz Spectrum Capabilities	WMM®	
20 MHz Channel Width in 5 GHz	WPA2™-Enterprise 20	018-04
40 MHz Channel Width in 5 GHz	EAP methods	
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	MAN A CTAIN DO LA GOOD	
	WPA2™-Personal 202	11-01
6 GHz Spectrum Capabilities	WPA3™-Enterprise 20)22-12
20 MHz Channel Width in 6 GHz	EAP methods	
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	NAMES A STATE DATE OF THE STATE	0.00
160 MHz Channel Width in 6 GHz	WPA3™-Personal 202	2-06
Protected Management Frames	Wi-Fi Agile Multiband	тм
	Cellular Data aware	
Spectrum & Regulatory	Wi Fi GERTIFIER AS F	2010000 2
	Wi-Fi CERTIFIED 6® F	kelease Z



Wi-Fi CERTIFIED™ Certificate





Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED 6® Release 2 (continued)

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Extended sleep

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01