



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA122279

Product Info

Date of Certification September 25, 2023

Company MediaTek Inc.

Product Name MediaTek Filogic-880-AP - MT7990

Product Model Variant EasyMesh

Model Number MediaTek Filogic-880-AP - MT7990

Category Other

Sub-category Embedded Module

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Wi-Fi QoS Management™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01





Certification ID: WFA122279

Summary	of Certifications ((continued)

Page 2 of 6

CLASSIFICATION CERTIFICATION

Security WPA3[™]-Enterprise 2020-02

WPA3™-Personal 2022-06

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory





Certification ID: WFA122279

Role: Access Point	Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

Hostapd

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4
6 GHz	4	4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz

Passpoint® Release 3

Online Sign Up and Policy provisioning Online Sign Up using single SSID

Passpoint® Release 3 (continued)

Roaming Consortium Selection
Venue Information
Terms and Conditions

Protected Management Frames

Spectrum & Regulatory

802.11d 802.11h

WMM®

Max Throughput

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise 2018-04





Certification ID: WFA122279

Role: Access Point Page 4 of 6

WPA2[™]-Enterprise 2018-04 (continued)

EAP methods

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

Beacon Protection

SAE-Public Key

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Wi-Fi CERTIFIED 6® (continued)

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Extended sleep

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

Wi-Fi CERTIFIED™ a







Role: Access Point Page 5 of 6

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

RIFS

Short Guard Interval

STBC

Wi-Fi EasyMesh™

Backhaul Link

Backhaul in 2.4 GHz

Backhaul in 5 GHz low band

Backhaul in 5 GHz high band

Backhaul over Ethernet

Fronthaul Access Point

Fronthaul in 2.4 GHz

Fronthaul in 5 GHz low band

Fronthaul in 5 GHz high band

Wi-Fi EasyMesh™ (continued)

Service Prioritization and QoS

C-TAG Service Prioritization

Mirrored Stream Classification Service

Stream Classification Service

DSCP QoS Map

DSCP Policy

Agent-initiated Steering capability

Backhaul onboarding with Pushbutton

Backhaul onboarding with QR code

Channel Scan on Request

Client Capability Query

Coordinated CAC

Traffic separation

Unassociated STA Link Metrics Reporting

Indefinite/Timed Block of stations

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

PIN

Pushbutton

Wi-Fi QoS Management™

Default DSCP to UP mapping

DSCP QoS Map

DSCP Policy

Mirrored Stream Classification Service

Stream Classification Service





Certification ID: WFA122279

Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™