



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120654

Product Info

Date of Certification January 5, 2024

Company MediaTek Inc.

Product Name MediaTek MT6639

Product Model Variant WiFi 7

Model Number MediaTek Dimensity 9200/9300

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Easy Connect™ Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7[™] Wi-Fi CERTIFIED [™] a Wi-Fi CERTIFIED [™] ac Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] g Wi-Fi CERTIFIED [™] n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01 Wi-Fi Enhanced Open™ 2023-12

Optimization TDLS

WMM®





Certification ID: WFA120654

Summary of Certifications (continued) Page 2 of 3		
CLASSIFICATION	CERTIFICATION	
Optimization	WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2020 Wi-Fi QoS Management™	
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06 WPA3™-Personal 2023-12 WPA™-Enterprise	

Spectrum & Regulatory

Features

Spectrum & Regulatory

WPA™-Personal



WMM®-Power Save

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120654



Role: Access Point		Page 3 of 8
Wi-Fi Components		
Wi-Fi Component Operating System	RF Architecture	
Android 14	Bands Supported Trans	smit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 2	2
Android U0	5 GHz 2	2
	6 GHz 2	2
	0 01.12	_
Certifications		
2.4 GHz Spectrum Capabilities	WPA2™-Personal 2021-0	1
20 MHz Channel Width in 2.4 GHz	WPA3™-Personal 2022-0	6
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED 6® Rele	ase 2
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx	
6 GHz Spectrum Capabilities	MCS 10-11 Rx MCS 10-11 Tx Wi-Fi 6E	
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	Wi-Fi 6 Release 2 features UL Extended Range	
160 MHz Channel Width in 6 GHz	Wi-Fi CERTIFIED™ a	
Protected Management Frames	Wi-Fi CERTIFIED™ ac	
WMM®	A-MPDU with A-MSDU	

LDPC Tx





Certification ID: WFA120654

ole: Access Point	Page 4 of 8
Wi-Fi CERTIFIED™ ac (continued)	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
HT Duplicate Mode	
OBSS on Extension Channel	
Short Guard Interval	
STBC	
A-MPDU Tx	



Certification ID: WFA120654



Role: Station Page 5 of 8

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

Android U0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Passpoint® Release 3 (continued)

Roaming Consortium Selection

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

Passpoint® Release 3

Display and input method

Display of HS2.0 indication

NAI Home Realm Query element

Operating Class Indication

Network Icon support

Network Information in network selection

Online Sign Up and Policy provisioning

Fast Transition OTA on WPA2-Enterprise

ANQP-element for OSU provider selection

Online Sign Up using single SSID

Venue Information

Terms and Conditions

TDLS

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime



Certification ID: WFA120654



Role: Station Page 6 of 8

WPA2[™]-Enterprise 2018-04 (continued)

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

WPA3™-Personal 2023-12

AKM 24

AKM 25

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

Beacon Protection

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP

Beacon Report Measurement Passive Mode

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

TCP/UDP NDP Initiator

TCP/UDP NDP Responder

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL Mu PPDU multi-tone

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx



Certification ID: WFA120654 CER



Role: Station Page 7 of 8

Wi-Fi CERTIFIED 6® Release 2 (continued)

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating Mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

Wi-Fi CERTIFIED 7™ (continued)

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-RU

Operating Mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Beamforming sounding

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

Dynamic MU SMPS

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g





Certification ID: WFA120654

Role: Station	Page 8 of 8
Wi-Fi CERTIFIED™ n	

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Direct®

Wi-Fi Easy Connect™

Bootstrapping methods

QR code responder

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Optimized Connectivity™ 2020

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Protected Setup™

PIN

Pushbutton

Wi-Fi QoS Management™

Default DSCP to UP mapping

DSCP QoS Map

DSCP Policy

Mirrored Stream Classification Service

MSCS setup at association

Stream Classification Service