



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA126895

Product Info

Date of Certification	May 20, 2024
Company	Shenzhen SDMC Technology Co., Ltd
Product Name	AX3000 Dual Band Mesh Router
Product Model Variant	NM3098
Model Number	NM3098B
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2022-06 WPA™-Personal
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126895



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux version 5.4.194

Wi-Fi Component Firmware

3.0.1.6

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz
160 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d
802.11h

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

WPA™-Personal

Wi-Fi Agile Multiband™

Cellular Data aware

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
Basic Trigger frame in HE MU PPDU
Beamforming sounding
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU-MIMO
DL OFDMA
Individual Target Wake Time
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
MU-BAR Trigger frame
MU-RTS Trigger frame
Operating mode indication



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126895



Role: Access Point

Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

SU beamformer
SU-MIMO
TXOP RTS Threshold
UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi EasyMesh™

Backhaul Link
Backhaul in 2.4 GHz

Wi-Fi EasyMesh™ (continued)

Backhaul in 5 GHz low band
Backhaul in 5 GHz high band
Backhaul over Ethernet
Fronthaul Access Point
Fronthaul in 2.4 GHz
Fronthaul in 5 GHz low band
Fronthaul in 5 GHz high band
Backhaul onboarding with pushbutton
Channel Scan on Request
Client Capability Query
Unassociated STA Link Metrics Reporting



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126895



Role: Controller

Page 4 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux version 5.4.194

Certifications

Wi-Fi EasyMesh™