



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

## Certification ID: WFA126895

### Product Info

<b>Date of Certification</b>	May 20, 2024
<b>Company</b>	Shenzhen SDMC Technology Co., Ltd
<b>Product Name</b>	AX3000 Dual Band Mesh Router
<b>Product Model Variant</b>	NM3098
<b>Model Number</b>	NM3098B
<b>Category</b>	Routers
<b>Sub-category</b>	Access Point for Home or Small Office (Wireless Router)

### Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2022-06
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126895



Role: Access Point

Page 2 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux version 5.4.194

### Wi-Fi Component Firmware

3.0.1.6

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11d

802.11h

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2022-06

### Wi-Fi Agile Multiband™

Cellular Data aware

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126895



Role: Access Point

Page 3 of 4

## Wi-Fi CERTIFIED 6® (continued)

TXOP RTS Threshold  
UL OFDMA

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC

## Wi-Fi EasyMesh™

Backhaul Link  
Backhaul in 2.4 GHz  
Backhaul in 5 GHz low band  
Backhaul in 5 GHz high band

## Wi-Fi EasyMesh™ (continued)

Backhaul over Ethernet  
Fronthaul Access Point  
Fronthaul in 2.4 GHz  
Fronthaul in 5 GHz low band  
Fronthaul in 5 GHz high band  
Backhaul onboarding with Wi-Fi Protected Setup pushbutton  
Channel Scan on Request  
Client Capability Query  
Unassociated STA Link Metrics Reporting



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126895



**Role: Controller**

**Page 4 of 4**

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux version 5.4.194

## Certifications

**Wi-Fi EasyMesh™**