

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA127137**

### **Product Info**

**Date of Certification** October 3, 2023

**Company** Allied Telesis Holdings K.K.

Product Name AT-TQ2402 GEN2

Product Model Variant New Product Model

Model Number AT-TQ2402 GEN2

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2022-06

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA127137** 



Page 2 of 3
Γ

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

WLAN.HK.2.8-01573-QCAHKSWPL\_SILICONZ-2.28823.2 v1 **RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

WLAN.HK.2.8-01573-QCAHKSWPL\_SILICONZ-2.28823.2 v1 **RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 2 2

#### Certifications

2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)
-------------------------------	-----------------------------------

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz
802.11h

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

**WMM®** 

WMM®-Power Save

WPA2™-Enterprise 2018-04

EAP methods

### Passpoint® Release 3

Roaming Consortium Selection

Terms and Conditions
Venue Information

10

WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

## **Protected Management Frames**

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA127137** 



Role: Access Point Page 3 of 3

#### WPA3™-Enterprise 2022-12 (continued)

Fast Transition OTA on WPA3-Enterprise transition mode

#### WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode subfield in A-Control field

#### Wi-Fi CERTIFIED 6® (continued)

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

**STBC**