



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127198

Product Info

Date of Certification April 19, 2024

Company Faurecia Clarion Electronics Co., Ltd.

Product Name Rear Monitor

Product Model Variant D2301

Model Number D2301

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2022-06



Certification ID: WFA127198



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

wI0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz

Certifications

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ n

HT Duplicate Mode



Certification ID: WFA127198



Role: Station	Page 3 of			
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	d Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	1	1	
wI0	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIEI	Wi-Fi CERTIFIED™ ac (continued)		
20 MHz Channel Width in 2.4 GHz	STBC LDPC Tx	LDPC Tx		
5 GHz Spectrum Capabilities	SU beamformee			
20 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ b			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ g			
Protected Management Frames	Wi-Fi CERTIFIED™ n			
WMM®	A-MPDU Tx			
WPA2™-Personal 2021-01		HT Duplicate Mode OBSS on Extension Channel		
WFAZ ····- FeISOIIdi 2021-01	Short Guard Interval STBC			
WPA3™-Personal 2022-06				
Wi-Fi CERTIFIED™ a	Wi-Fi Direct®	Wi-Fi Direct®		
Wi-Fi CERTIFIED™ ac	Wi-Fi Protected	Wi-Fi Protected Setup™		
LDPC Rx	PIN			
MCS 8-9 Rx Short Guard Interval	Pushbutton			





Certification ID: WFA127198

Display Page 4 of 4		
RF Architecture		
Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1
	Bands Supported 2.4 GHz	RF Architecture Bands Supported Transmit (Tx) 2.4 GHz 1