# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## Certification ID: WFA125145

## Product Info

| | |
|---|---|
| Date of Certification | July 24, 2023 |
| Company | Honeywell Safety and Productivity Solutions |
| Product Name | Printer |
| Product Model Variant | PM65 |
| Model Number | PC45t |
| Category | Computers & Accessories |
| Sub-category | Printer/Multi-Function Printer/Print Server |

## Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|---|---|
| Network management | WMM®<br>Wi-Fi Agile Multiband™ |
| Security | Protected Management Frames<br>WPA2™-Enterprise 2018-04<br>WPA2™-Personal 2021-01<br>WPA3™-Enterprise 2022-12<br>WPA3™-Personal 2022-06 |
| Wi-Fi (MAC/PHY) | 2.4 GHz Spectrum Capabilities<br>5 GHz Spectrum Capabilities<br>Spectrum & Regulatory<br>Wi-Fi CERTIFIED 6®<br>Wi-Fi CERTIFIED™ a<br>Wi-Fi CERTIFIED™ ac<br>Wi-Fi CERTIFIED™ b<br>Wi-Fi CERTIFIED™ g<br>Wi-Fi CERTIFIED™ n |

# Wi-Fi CERTIFIED™ Certificate

## Certification ID: WFA125145

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

18.35.387.23.1301.82

### RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|---|---|---|
| 2.4 GHz | 1 | 1 |
| 5 GHz | 1 | 1 |

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11h

### WMM®

### WPA2™-Enterprise 2018-04

EAP methods
    EAP TLS
    EAP TTLS
    PEAPv0

### WPA2™-Enterprise 2018-04 (continued)

PEAPv1

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods
    EAP TLS
    EAP TTLS
    PEAPv0
    PEAPv1
Server Certificate Validation

### WPA3™-Personal 2022-06

### Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode
Beacon Report Measurement Passive Mode
BTM Query

### Wi-Fi CERTIFIED 6®

## Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame
DL MU-MIMO
LDPC Tx
LDPC Rx
MCS 10-11 Rx
MCS 10-11 Tx
MCS 8-9 Rx
MCS 8-9 Tx
MU EDCA Parameter Set element
MU-BAR Trigger frame
MU-RTS Trigger frame
M-BSSID
Operating mode indication
SU beamformee
UL OFDMA

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
LDPC Tx
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx

## Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel
Short Guard Interval