



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127250

Product Info

Date of Certification November 7, 2023

Company Google, Inc.

Product Name G8HHN,GKV4X,G6GPR,G576D

Product Model Variant G8HHN, GKV4X, G6GPR, G576D

Model Number G8HHN,GKV4X,G6GPR,G576D

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01





Summary of Certifications (continued)		Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06	
Spectrum & Regulatory Features	Spectrum & Regulatory	



Certification ID: WFA127250



Role: Access Point	Page 3 of 7	
Wi-Fi Components		
Wi-Fi Component Operating System	RF Architecture	
Android Wi-Fi Component Firmware 20.25.872	Bands Supported Transmit (Tx) Receive (Rx))
	2.4 GHz 2 2	
	5 GHz 2 2	
	6 GHz 2 2	
Certifications		
2.4 GHz Spectrum Capabilities	WPA2™-Personal 2021-01	
20 MHz Channel Width in 2.4 GHz	WPA3™-Personal 2022-06	
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED 6®	

6 GH2	Spectrum	Canah	ilitiae

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

WMM®

A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx

MCS 10-11 Tx SU-MIMO Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx





Role: Access Point	Page 4 of 7
Wi-Fi CERTIFIED™ ac (continued)	
Short Guard Interval	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
OBSS on Extension Channel Short Guard Interval A-MPDU Tx	
Wi-Fi Enhanced Open™ 2021-01	





Role: Station	Page 5 of 7
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Android	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 2 2
20.25.872	5 GHz 2 2
	6 GHz 2 2
Certifications	
2.4 GHz Spectrum Capabilities	Voice-Enterprise
20 MHz Channel Width in 2.4 GHz	WMM ®
5 GHz Spectrum Capabilities	WMM®-Admission Control
20 MHz Channel Width in 5 GHz	WMM®-Power Save
40 MHz Channel Width in 5 GHz	Legacy Power Save
80 MHz Channel Width in 5 GHz	Unschedule auto PS
6 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 6 GHz	EAP methods
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP AKA
	EAP AKA Prime EAP SIM
Protected Management Frames	EAP TLS
Construer & Boundatons	EAP TTLS PEAPv0
Spectrum & Regulatory	PEAPv1
802.11d	
802.11h	WPA2™-Personal 2021-01



Certification ID: WFA127250



Role: Station Page 6 of 7

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

DL MU-MIMO

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee





Role: Station	Page 7 of 7
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx OBSS on Extension Channel Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Direct with WPA2	
Wi-Fi Enhanced Open™ 2021-01	