



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127308

Product Info

Date of Certification September 21, 2023

Company Allied Telesis Holdings K.K.

Product Name AT-TQ7403

Product Model Variant New Product Model

Model Number AT-TQ7403

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06 Wi-Fi Enhanced Open[™] 2021-01

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Spectrum & Regulatory

Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA127308



Role: Access Point	Page 2 of 4
--------------------	-------------

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

WLAN.HK.2.8-01573-QCAHKSWPL_SILICONZ-2.28823.8 v1 **RF Architecture**

Bands Supported Transmit (Tx) Receive (Rx)

6 GHz 2 2

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

WLAN.HK.2.8-01573-QCAHKSWPL_SILICONZ-2.28823.8 v1 **RF Architecture**

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

WLAN.HK.2.8-01573-QCAHKSWPL_SILICONZ-2.28823.8 v1 **RF Architecture**

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz **6 GHz Spectrum Capabilities (continued)**

40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz Passpoint® Release 3

Roaming Consortium Selection

Terms and Conditions

Venue Information

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

Protected Management Frames

Spectrum & Regulatory



Certification ID: WFA127308



Role: Access Point Page 3 of 4

Spectrum & Regulatory (continued)

802.11d

802.11h

WMM®

WMM®-Power Save

WPA2™-Enterprise 2018-04

EAP methods

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 6® Release 2 (continued)

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Co-located BSS

Multiple M-BSSID

Wi-Fi 6 Release 2 features

UL Extended Range

Target Wake Time information frames

Extended sleep

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac



Certification ID: WFA127308



Role: Access Point Page 4 of 4

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01