



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA127611

Product Info

Date of Certification August 7, 2023

Company Samsung Electronics

Product Name Tablet PC

Product Model Variant SM-X115N

Model Number SM-X115N

Category Tablets, Ereaders & Cameras

Sub-category Tablet (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Alternative topologies Wi-Fi Direct®

Network management WMM®

WMM®-Admission Control

WMM®-Power Save

Performance Voice-Enterprise

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA127611



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

20230330185402

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

HT Duplicate Mode

A-MPDU Tx

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

MCS 8-9 Rx

Short Guard Interval



Certification ID: WFA127611



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

20230330185402

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Protected Management Frames

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise 2018-04

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2022-06



Certification ID: WFA127611



Role: Station	Page 4 of 4
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU MCS 8-9 Rx Short Guard Interval STBC	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Short Guard Interval STBC	
Wi-Fi Direct®	
Wi-Fi Direct with WPA2	