



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA122527

Product Info

Date of Certification August 10, 2023

Company Reliance Communications

Product Name Orbic TAB8 4G

Product Model Variant RC8L1T_0809

Model Number RC8L1T

Category Tablets, Ereaders & Cameras

Sub-category Tablet (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2022-06

WPA™-Enterprise WPA™-Personal



Certification ID: WFA122527



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 12

Wi-Fi Component Firmware

3.2.4.0.1041.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx MCS 8-9 Rx Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval A-MPDU Tx



Certification ID: WFA122527



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 12

Wi-Fi Component Firmware

3.2.4.0.1041.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz WPA3[™]-Enterprise 2020-02

WPA2™-Personal 2021-01

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WPA3™-Personal 2022-06

WMM®

WMM®-Power Save

WPA™-Personal

WPA™-Enterprise

Wi-Fi CERTIFIED™ a

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval





Certification ID: WFA122527

Role: Station	Page 4 of 4
Wi-Fi CERTIFIED™ ac (continued)	
STBC	
LDPC Tx SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx OBSS on Extension Channel	
Short Guard Interval STBC	
Wi-Fi Direct®	
Wi-Fi Protected Setup™	
PIN Pushbutton	