



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127787

Product Info

Date of Certification	September 27, 2023
Company	Broadcom Corporation
Product Name	BCM4398
Product Model Variant	BCM4398
Model Number	BCM4398
Category	Other
Sub-category	Embedded Module

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi QoS Management™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06 WPA™-Enterprise WPA™-Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory
Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



Role: Station

Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

24.10.684.2

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Spectrum & Regulatory (continued)

802.11h

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

WMM®

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Fast Transition OTA on WPA3-Enterprise

Protected Management Frames

Spectrum & Regulatory

802.11d



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



Role: Station

Page 4 of 5

WPA3™-Enterprise 2022-12 (continued)

Fast Transition OTA on WPA3-Enterprise transition mode
Fast Transition OTDS on WPA3-Enterprise
Server Certificate Validation

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal
Fast Transition OTA on WPA3-Personal transition mode
Fast Transition OTDS on WPA3-Personal
Beacon Protection

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP
ANQP-based Neighbor report
Beacon Report Measurement Active Mode
Beacon Report Measurement Passive Mode
BTM Query
Cellular Data capable
Fast Transition OTA on WPA2-Personal
Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU
Beamforming sounding
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU-MIMO

Wi-Fi CERTIFIED 6® Release 2 (continued)

DL Mu PPDU multi-tone
HE NDP
LDPC Tx
LDPC Rx
Individual Target Wake Time
MCS 10-11 Rx
MCS 10-11 Tx
MCS 8-9 Rx
MCS 8-9 Tx
MU EDCA Parameter Set element
MU-BAR Trigger frame
MU-RTS Trigger frame
OM Control field Tx
Operating Mode indication
SU beamformee
SU-MIMO
UL OFDMA
UL TB PPDU multi-tone
Wi-Fi 6E
Multiple M-BSSID
Wi-Fi 6 Release 2 features
UL MU-MIMO
UL MU Control
UL Extended Range
M-BSSID control frames
Preamble Puncturing

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



Role: Station

Page 5 of 5

Wi-Fi CERTIFIED™ ac (continued)

MCS 8 Rx
MCS 8-9 Rx
Short Guard Interval
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Power Management
Short Guard Interval

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi QoS Management™

Default DSCP to UP mapping
DSCP QoS Map
DSCP Policy
Mirrored Stream Classification Service
 MSCS setup at association
Stream Classification Service