



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA127869**

## Product Info

<b>Date of Certification</b>	December 7, 2023
<b>Company</b>	Askey Computer Corporation
<b>Product Name</b>	5G Home Router
<b>Product Model Variant</b>	NCM2000B2-D299
<b>Model Number</b>	NCM2000B2-D299
<b>Category</b>	Routers
<b>Sub-category</b>	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Access</b>	Wi-Fi Protected Setup™
<b>Network management</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2022-06
<b>Wi-Fi (MAC/PHY)</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

This certificate was downloaded on **2025-05-11** at **16:30:11** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and other marks are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127869



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

0x8a01

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### Wi-Fi Agile Multiband™ (continued)

Automatically populate BSS Transition candidate list  
Cellular Data aware

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
M-BSSID  
Operating mode subfield in A-Control field

### Protected Management Frames

### Spectrum & Regulatory

802.11h

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2022-06

### Wi-Fi Agile Multiband™

This certificate was downloaded on **2025-05-11** at **16:30:11** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and other marks are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127869



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED 6® (continued)

Operating mode indication  
Operating mode UL MU Rx  
SU beamformer  
SU-MIMO  
TXOP RTS Threshold  
UL OFDMA

## Wi-Fi Protected Setup™ (continued)

PIN  
Pushbutton

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
RTS with BW Signaling  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC

## Wi-Fi Protected Setup™

This certificate was downloaded on **2025-05-11** at **16:30:11** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and other marks are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.