



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA91938**

#### **Product Info**

**Date of Certification** August 31, 2023

**Company** Hewlett Packard Enterprise

Product Name Aruba Multiservice Mobility Controller/AP-505 Access Point

Product Model Variant 505-R1

Model Number AP-505

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2018-04

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2018-04 WPA3<sup>™</sup>-Enterprise 2018-04 WPA3<sup>™</sup>-Personal 2019-08

WPA™-Enterprise WPA™-Personal





**Certification ID: WFA91938** 

Cummon		Contificat	tions !	loopt	الممييطا
Summary	/ OI	Cerunicai	เเบทร์ (	COIL	ınuea

Page 2 of 4

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

Features





**Certification ID: WFA91938** 

Role: Access Point	P	Page 3 of 4		
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Proprietary / Other, version:8.6, description: Aruba OS	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
6.2.1GA	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Save			
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Legacy Power Save Unschedule auto PS			
5 GHz Spectrum Capabilities	WPA2™-Enterpri	se 2018-04		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods			
80 MHz Channel Width in 5 GHz	WPA2™-Personal 2018-04			
Passpoint® Release 2	WPA3™-Enterpri	se 2018-04		
Online Sign Up and Policy provisioning	EAP methods 192-bit security			
Protected Management Frames	WDA2TM Davages	1 2040 09		
Spectrum & Regulatory	WPA3™-Persona			
802.11d	WPA™-Enterprise	9		
802.11h	WPA™-Personal			
WMM®	Wi-Fi Agile Multib	and™		





**Certification ID: WFA91938** 

Role: Access Point Page 4 of 4

### Wi-Fi Agile Multiband™ (continued)

Automatically populate BSS Transition candidate list

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

Operating mode indication

TXOP RTS Threshold

UL OFDMA

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

**STBC** 

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC

### Wi-Fi Enhanced Open™ 2018-04