

## Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA128182**

#### **Product Info**

**Date of Certification** September 19, 2023

Company H3C

Product Name H3C WA6520H-HI WLAN AP with H3C WX Series WLAN Controller

**Product Model Variant** 2023-09-19

Model Number H3C WA6520H-HI WLAN AP

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Network management WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-12 Wi-Fi Enhanced Open<sup>™</sup> 2021-01

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA128182** 



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Comware

Wi-Fi Component Firmware

V700R001

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods 192-bit security

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

**Protected Management Frames** 

**Spectrum & Regulatory** 

802.11d

802.11h

A-MPDU with A-MSDU

Wi-Fi CERTIFIED 6®

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

**WMM®** 

WPA2™-Enterprise 2018-04

EAP methods



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA128182** 



Role: Access Point Page 3 of 3

#### Wi-Fi CERTIFIED 6® (continued)

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01