



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

## Certification ID: WFA128185

### Product Info

<b>Date of Certification</b>	October 12, 2023
<b>Company</b>	Qualcomm
<b>Product Name</b>	Qualcomm Networking Pro Quad-Band Wi-Fi 7 Platform
<b>Product Model Variant</b>	Qualcomm Networking Pro Quad-Band Wi-Fi 7 Platform2
<b>Model Number</b>	IPQ9574-2
<b>Category</b>	Other
<b>Sub-category</b>	Reference Design

### Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128185



Role: Access Point

Page 2 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

IPQ9574.WFA.12.3.r4-00086-P-1

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### Spectrum & Regulatory (continued)

802.11d  
802.11h

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### WMM®

### WPA2™-Enterprise 2018-04

EAP methods

### WPA2™-Personal 2021-01

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz

### WPA3™-Enterprise 2022-12

EAP methods  
192-bit security  
Fast Transition OTA on WPA3-Enterprise  
Fast Transition OTA on WPA3-Enterprise transition mode  
Fast Transition OTDS on WPA3-Enterprise

### Protected Management Frames

### Spectrum & Regulatory

### WPA3™-Personal 2022-06



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128185



Role: Access Point

Page 3 of 4

## WPA3™-Personal 2022-06 (continued)

Fast Transition OTA on WPA3-Personal  
Fast Transition OTA on WPA3-Personal transition mode  
Fast Transition OTDS on WPA3-Personal  
Beacon Protection  
SAE-Public Key  
Operating Channel Validation

## Wi-Fi Agile Multiband™

Cellular Data aware  
Fast Transition OTA on WPA2-Enterprise  
Fast Transition OTA on WPA2-Personal

## Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
Beamforming sounding  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
M-BSSID  
Operating mode indication

## Wi-Fi CERTIFIED 6® Release 2 (continued)

SU beamformer  
SU-MIMO  
TXOP RTS Threshold  
UL OFDMA  
Wi-Fi 6E  
Co-located BSS  
Multiple M-BSSID  
Wi-Fi 6 Release 2 features  
UL MU-MIMO  
UL MU Control  
UL Extended Range  
Target Wake Time information frames  
Broadcast Target Wake Time  
Extended sleep  
Dynamic MU SMPS  
M-BSSID control frames  
Preamble Puncturing

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
Extended 5 GHz Channel Support  
LDPC Rx  
LDPC Tx  
MCS 8 Rx  
MCS 8-9 Rx  
RTS with BW Signaling  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128185



Role: Access Point

Page 4 of 4

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
RIFS  
Short Guard Interval  
STBC