

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA123449

Product Info

Date of Certification November 30, 2023

Company Bestechnic (Shanghai) Co., Ltd.

Product Name BES2610

Product Model Variant WA

Model Number BES2610

Category Other

Sub-category Chipset

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2022-06

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA123449



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

LINUX5.15

Wi-Fi Component Firmware

bes2610_fw_v1.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi Agile Multiband™

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Spectrum & Regulatory

Protected Management Frames

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

DL MU PPDU multi-tone

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

SU beamformee

UL OFDMA

UL TB PPDU multi-tone

WMM®

802.11h

WMM®-Power Save

Legacy Power Save

Unschedule auto PS

Wi-Fi CERTIFIED™ a



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA123449

Role: Station	Page 3 of 3
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Power Management Short Guard Interval STBC	
Wi-Fi Direct®	
Wi-Fi Protected Setup™	
PIN Pushbutton	