

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA128463**

## **Product Info**

**Date of Certification** January 15, 2024

**Company** Zyxel Communications Corporation

Product Name Tri-Band Wireless BE19000 10G Ethernet IAD with SFP+

Product Model Variant EE6601-00

Model Number EE6601-00

**Category** Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
OLAGGII IGATIGII	OLIVIII IOATIOI

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2023-12

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA128463** 



Role: Access Point	Page 2 of 3

## Wi-Fi Components

## **Wi-Fi Component Operating System**

Linux version 4.19.275

## Wi-Fi Component Firmware

5.04L.04p2

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4
6 GHz	4	4

## Certifications

## 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

## **Spectrum & Regulatory (continued)**

802.11d 802.11h

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

## **WMM®**

WPA2™-Personal 2021-01

## WPA3™-Personal 2023-12

AKM 24

Beacon Protection

#### **6 GHz Spectrum Capabilities**

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

## Wi-Fi Agile Multiband™

#### Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

**BSRP** Trigger frame

DL MU-MIMO

DL OFDMA

## **Protected Management Frames**

## Spectrum & Regulatory



## Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA128463** 



Role: Access Point Page 3 of 3

#### Wi-Fi CERTIFIED 6® (continued)

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

**UL OFDMA** 

Wi-Fi 6E

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

Operating mode indication

Static puncturing

## Wi-Fi CERTIFIED 7™ (continued)

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC