



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128501

Product Info

Date of Certification	April 30, 2024
Company	LIMNO Co., Ltd.
Product Name	SPU-A06L-LW
Product Model Variant	SPU-A06L-LW
Model Number	SPU-A06L-LW
Category	Tablets, Ereaders & Cameras
Sub-category	Tablet (Wi-Fi and other)

Summary of Certifications

-	
CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 3 Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM®
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2022-06 WPA [™] -Enterprise WPA [™] -Personal



Certification ID: WFA128501



Summary of Certifications (continued)Page 2 of 5CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory
FeaturesSpectrum & Regulatory



Certification ID: WFA128501



Role: Access Point		Page 3 of 5	
RF Architecture			
Bands Supported	Transmit (Tx)	Receive (Rx)	
2.4 GHz	1	1	
5 GHz	1	1	
	Bands Supported 2.4 GHz	RF Architecture Bands SupportedTransmit (Tx)2.4 GHz1	

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2[™]-Personal 2021-01

WPA3[™]-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx MCS 8-9 Rx RTS with BW Signaling Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval A-MPDU Tx



Certification ID: WFA128501



Role: Station		P	age 4 of 5
Vi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android	Bands Supported	Transmit (Tx)	Receive (Rx)
Ni-Fi Component Firmware	2.4 GHz	1	1
3.3.7.1.458.0	5 GHz	1	1
Certifications			
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11d		
40 MHz Channel Width in 2.4 GHz	802.11h		
5 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04		
40 MHz Channel Width in 5 GHz			
80 MHz Channel Width in 5 GHz	EAP methods		
	EAP TLS EAP TTLS		
Passpoint® Release 3	PEAPv0		
	PEAPv1		
Display and input method			
Display of HS2.0 indication			
Network Information in network selection	WPA2™-Persona	al 2021-01	
Roaming Consortium Selection Terms and Conditions		·	
Private and secure terms and conditions	WPA3™-Enterpr	ise 2022-12	
Venue Information	EAP methods		
Private and secure Venue Information	EAP TLS		
	EAP TTLS		
	PEAPv0		
Protected Management Frames	PEAPv1		
	Server Certificate Vali		



Certification ID: WFA128501



Role: Station

Page 5 of 5

WPA3™-Personal 2022-06	Wi-Fi Protected Setup™ (continued)
WPA™-Enterprise	Pushbutton
WPA™-Personal	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC	
Wi-Fi Direct®	
Wi-Fi Protected Setup™	
PIN	