



Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA128597

Product Info

Date of Certification	March 14, 2024
Company	Zyxel Communications Corporation
Product Name	5G NR Indoor Router
Product Model Variant	BP5691
Model Number	BP5691
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Alternative topologies	Wi-Fi EasyMesh™
Network management	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2022-06
Wi-Fi (MAC/PHY)	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

This certificate was downloaded on **2026-04-05** at **10:34:17** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA128597



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux 5.4.238

Wi-Fi Component Firmware

0x0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
 40 MHz Channel Width in 5 GHz
 80 MHz Channel Width in 5 GHz
 160 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU
 Basic Trigger frame in HE MU PPDU
 BSRP Trigger frame
 Compressed Block Ack Rx (buffer size 256)
 Compressed Block Ack Tx (buffer size 256)
 DL MU-MIMO
 DL OFDMA
 Individual Target Wake Time
 LDPC Rx
 LDPC Tx
 MCS 8-9 Rx
 MCS 8-9 Tx
 MCS 10-11 Rx
 MCS 10-11 Tx
 MU EDCA Parameter Set element
 MU-BAR Trigger frame
 MU-RTS Trigger frame
 Operating mode subfield in A-Control field
 Operating mode indication
 Operating mode UL MU Rx
 SU beamformer
 SU-MIMO
 UL OFDMA

Wi-Fi CERTIFIED™ a

This certificate was downloaded on **2026-04-05** at **10:34:17** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA128597



Role: Access Point

Page 3 of 4

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Protected Setup™

PIN
Pushbutton

This certificate was downloaded on **2026-04-05** at **10:34:17** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA128597



Role: Controller

Page 4 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux 5.4.238

Certifications

Wi-Fi EasyMesh™

Onboarding with Wi-Fi Easy Connect QR code

This certificate was downloaded on **2026-04-05** at **10:34:17** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.