



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA122233** 

### **Product Info**

**Date of Certification** November 16, 2023

Company Motorola Mobility LLC

Product Name XT2309-2

Product Model Variant OS Version UP

Model Number XT2309-2

**Category** Phones

**Sub-category** Smartphone

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

Voice-Enterprise

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames



**Features** 

# **Wi-Fi CERTIFIED™ Certificate**



Summary of Certifications (continued)		Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2020-02 WPA3 <sup>™</sup> -Personal 2022-06 WPA <sup>™</sup> -Enterprise WPA <sup>™</sup> -Personal	
Spectrum & Regulatory	Spectrum & Regulatory	



**Certification ID: WFA122233** 



Role: Access Point Page 3 of 7

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android 14

Wi-Fi Component Firmware

WLAN.HSP.2.0

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Short Guard Interval

STBC

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

**WPA™-Personal** 

A-MPDU Tx

OBSS on Extension Channel

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Short Guard Interval

STBC

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx





Role: Station		P	age 4 of 7	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 14	Bands Supported	Transmit (Tx)	Receive (Rx)	
WI-Fi Component Firmware WLAN.HSP.2.0	2.4 GHz	2	2	
WLAN.H5P.2.U	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Voice-Enterprise			
20 MHz Channel Width in 2.4 GHz	WMM®	WMM®		
5 GHz Spectrum Capabilities	WMM®-Admission	ո Control		
20 MHz Channel Width in 5 GHz	WMM®-Power Sav	WMM®-Power Save		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Unschedule auto PS			
160 MHz Channel Width in 5 GHz				
	WPA2™-Enterpris	se 2018-04		
6 GHz Spectrum Capabilities	EAP methods			
20 MHz Channel Width in 6 GHz	EAP AKA EAP AKA Prime			
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP SIM			
30 M 12 3 M 11 0 M 11 0 3 12	EAP TLS EAP TTLS			
Protected Management Frames	PEAPv0			
-	PEAPv1			
Spectrum & Regulatory	WPA2™-Personal	2021 01		
802.11h				
	WPA3™-Enterpris	se 2020-02		



Certification ID: WFA122233



Role: Station Page 5 of 7

#### WPA3™-Enterprise 2020-02 (continued)

EAP methods

EAP AKA

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

Server Certificate Validation

#### WPA3™-Personal 2022-06

### **WPA™-Enterprise**

#### **WPA™-Personal**

#### Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL Mu PPDU multi-tone

DL MU-MIMO

#### Wi-Fi CERTIFIED 6® (continued)

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating Mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

### Wi-Fi CERTIFIED™ b





ole: Station	Page 6
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel	
Power Management	
Short Guard Interval	
STBC	
AU F: Diverse	
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 2021-01	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	





Role: Source	Page 7 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 14	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware WLAN.HSP.2.0	2.4 GHz	2	2
	5 GHz	2	2
Contifications			
Certifications			
Miracast®			