



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA122233**

### **Product Info**

**Date of Certification** November 16, 2023

**Company** Motorola Mobility LLC

Product Name XT2309-2

Product Model Variant OS Version UP

Model Number XT2309-2

**Category** Phones

**Sub-category** Smartphone

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

**Applications** Miracast®

Network management WMM®

WMM®-Admission Control WMM®-Power Save

Wi-Fi Agile Multiband™

Performance Voice-Enterprise

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2022-06 Wi-Fi Enhanced Open<sup>™</sup> 2021-01

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities



**Certification ID: WFA122233** 



Summary of Certifications (continued)		Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	



**Certification ID: WFA122233** 



Role: Access Point	Page 3 of 7

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android 14

Wi-Fi Component Firmware

WLAN.HSP.2.0

### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

### Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

**Protected Management Frames** 

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Short Guard Interval

STBC

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

**WMM®** 

LDPC Tx

Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC



**Certification ID: WFA122233** 



Role: Station		Pa	age 4 of 7
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture		
Android 14  Wi-Fi Component Firmware  WLAN.HSP.2.0	Bands Supported 2.4 GHz	Transmit (Tx)	Receive (Rx)
	5 GHz 6 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Voice-Enterprise		
20 MHz Channel Width in 2.4 GHz	WMM®		
5 GHz Spectrum Capabilities	WMM®-Admission	n Control	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WMM®-Power Sav	/e	
	WPA2™-Enterpris	se 2018-04	
6 GHz Spectrum Capabilities  20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP methods  EAP AKA  EAP AKA Prime  EAP SIM  EAP TLS  EAP TTLS		
Protected Management Frames	PEAPv0 PEAPv1		
Spectrum & Regulatory	WPA2™-Personal	2021-01	
802.11h	WPA3™-Enterpris	se 2020-02	



**Certification ID: WFA122233** 



Role: Station Page 5 of 7

### WPA3™-Enterprise 2020-02 (continued)

EAP methods

EAP AKA

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

Server Certificate Validation

### WPA3™-Personal 2022-06

### Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

### Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

**UL OFDMA** 

Wi-Fi 6E

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

A-MPDU Tx



**Certification ID: WFA122233** 



Role: Station

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel
Power Management
Short Guard Interval
STBC

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

PIN
Pushbutton



**Certification ID: WFA122233** 



Role: Source	Page 7 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 14	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware WLAN.HSP.2.0	2.4 GHz	2	2
WLAN.H5P.2.U	5 GHz	2	2
Certifications			
Miracast®			