



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128806

Product Info

Date of Certification December 22, 2023

Company Fortinet Inc.

Product Name FortiAP-441K

Product Model Variant FortiAP-441K

Model Number FortiAP-441K

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
----------------	---------------

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory





Certification ID: WFA128806

Role: Access Point Wi-Fi Components Wi-Fi Component Operating System FortiAP Wi-Fi Component Firmware 7.4 Certifications 2.4 GHz
Wi-Fi Component Operating System FortiAP Wi-Fi Component Firmware 7.4 Certifications 2.4 GHz
FortiAP Wi-Fi Component Firmware 7.4 Certifications 2.4 GHz 4 4 6 GHz 4 4 Certifications Spectrum & Regulatory (continued) 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 5 GHz
Wi-Fi Component Firmware 7.4 2.4 GHz 4 4 5 GHz 4 4 6 GHz 4 4 6 GHz 4 4 Certifications 2.4 GHz Spectrum Capabilities 2.4 GHz Spectrum & Regulatory (continued) 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz WMM® 20 MHz Channel Width in 5 GHz WMM®
7.4 2.4 GHz 4 4 5 GHz 4 4 6 GHz 4 4 Certifications 2.4 GHz Spectrum Capabilities Spectrum & Regulatory (continued) 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 802.11d 802.11d 802.11h 5 GHz Spectrum Capabilities WMM® 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz WPA2™-Enterprise 2018-04
5 GHz 4 4 6 GHz 4 4 Certifications 2.4 GHz Spectrum Capabilities Spectrum & Regulatory (continued) 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 802.11d 802.11d 802.11h 5 GHz Spectrum Capabilities WMM® 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz
Certifications 2.4 GHz Spectrum Capabilities Spectrum & Regulatory (continued) 802.11d 802.11d 802.11h 5 GHz Spectrum Capabilities WMM® WMM® WPA2™-Enterprise 2018-04
2.4 GHz Spectrum Capabilities Spectrum & Regulatory (continued) 802.11d 802.11d 802.11h 5 GHz Spectrum Capabilities WMM® WMM® WPA2™-Enterprise 2018-04
2.4 GHz Spectrum Capabilities Spectrum & Regulatory (continued) 802.11d 802.11d 802.11h 5 GHz Spectrum Capabilities WMM® WMM® 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities WMM® 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz WPA2™-Enterprise 2018-04
40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities WMM® 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz WPA2™-Enterprise 2018-04
5 GHz Spectrum Capabilities WMM® 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz WPA2™-Enterprise 2018-04
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz WPA2™-Enterprise 2018-04
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz EAP methods
160 MHz Channel Width in 5 GHz
WPA2™-Personal 2021-01
6 GHz Spectrum Capabilities WPA3™-Enterprise 2022-12
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz EAP methods
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 192-bit security
160 MHz Channel Width in 6 GHz Fast Transition OTA on WPA3-Enterprise
Fast Transition OTA on WPA3-Enterprise transition mode
Protected Management Frames Fast Transition OTDS on WPA3-Enterprise
Spectrum & Regulatory WPA3™-Personal 2022-06







Role: Access Point Page 3 of 4

WPA3™-Personal 2022-06 (continued)

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

SAE-Public Key

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

Wi-Fi CERTIFIED 6® (continued)

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

RIFS





Certification ID: WFA128806