

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128809

Product Info

Date of Certification January 30, 2024

Company H3C

Product Name H3C WA7638 WLAN AP with H3C WX Series WLAN Controller

Product Model Variant 2023-11-14

Model Number H3C WA7638 WLAN AP with H3C WX Series WLAN Controller

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA128809

| Role: Access Point | Page 2 | 2 of 3 |
|--|-----------------------------------|-----------|
| Wi-Fi Components | | |
| Wi-Fi Component Operating System | RF Architecture | |
| Comware | Bands Supported Transmit (Tx) Rec | eive (Rx) |
| Wi-Fi Component Firmware V700R001 | 2.4 GHz 4 4 | |
| | 5 GHz 4 4 | |
| | 6 GHz 4 4 | |
| | 1 | |
| Certifications | | |
| 2.4 GHz Spectrum Capabilities | Spectrum & Regulatory (continued) | |
| 20 MHz Channel Width in 2.4 GHz | 802.11d | |
| 40 MHz Channel Width in 2.4 GHz | 802.11h | |
| 5 GHz Spectrum Capabilities | WMM® | |
| 20 MHz Channel Width in 5 GHz | WPA2™-Enterprise 2018-04 | |
| 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz | EAP methods | |
| 160 MHz Channel Width in 5 GHz | LAI Methods | |
| | WPA2™-Personal 2021-01 | |
| 6 GHz Spectrum Capabilities | WPA3™-Enterprise 2022-12 | |
| 20 MHz Channel Width in 6 GHz | | |
| 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz | EAP methods | |
| 160 MHz Channel Width in 6 GHz | 192-bit security | |
| | WPA3™-Personal 2022-06 | |
| Protected Management Frames | Wi-Fi Agile Multiband™ | |
| Spectrum & Regulatory | | |
| | Wi-Fi CERTIFIED 6® | |



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA128809

Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED 6® (continued)

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01