



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA128924**

## Product Info

<b>Date of Certification</b>	January 4, 2024
<b>Company</b>	Samsung Electronics
<b>Product Name</b>	Mobile Phone
<b>Product Model Variant</b>	SM-M556B/DS
<b>Model Number</b>	SM-M556B/DS
<b>Category</b>	Phones
<b>Sub-category</b>	Smartphone

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Access</b>	Wi-Fi Protected Setup™
<b>Applications &amp; Services</b>	Voice-Enterprise
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
<b>Optimization</b>	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128924



## Summary of Certifications (continued)

Page 2 of 6

### CLASSIFICATION

### CERTIFICATION

Security

WPA3™-Personal 2022-06



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128924



Role: Access Point

Page 3 of 6

## Wi-Fi Components

### Wi-Fi Component Operating System

Android

### Wi-Fi Component Firmware

WLAN.MSL.2.0-01052-QCAMSLSWPLZ-1

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2022-06

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)

### Wi-Fi CERTIFIED 6® (continued)

Compressed Block Ack Tx (buffer size 256)  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
TXOP RTS Threshold  
UL OFDMA

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
LDPC Rx  
LDPC Tx  
Short Guard Interval  
STBC

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128924



Role: Access Point

Page 4 of 6

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128924



Role: Station

Page 5 of 6

## Wi-Fi Components

### Wi-Fi Component Operating System

Android

### Wi-Fi Component Firmware

WLAN.MSL.2.0-01052-QCAMSLSWPLZ-1

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### Voice-Enterprise

### WMM®

### WMM®-Admission Control

### WMM®-Power Save

Legacy Power Save  
Unschedule auto PS

### WPA2™-Enterprise 2018-04

EAP methods  
EAP AKA  
EAP AKA Prime  
EAP SIM  
EAP TLS  
EAP TTLS  
PEAPv0  
PEAPv1

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods  
EAP AKA  
EAP AKA Prime  
EAP SIM  
EAP TLS  
EAP TTLS  
PEAPv0  
PEAPv1  
Server Certificate Validation

### WPA3™-Personal 2022-06



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128924



Role: Station

Page 6 of 6

## Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
BSRP Trigger frame  
DL MU-MIMO  
DL MU PPDU multi-tone  
LDPC Tx  
LDPC Rx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
Operating mode subfield in A-Control field  
SU beamformee  
UL OFDMA  
UL TB PPDU multi-tone

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC

## Wi-Fi Direct®

## Wi-Fi Protected Setup™

PIN  
Pushbutton