

Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA114074

Product Info

Date of Certification November 23, 2023

Company Huawei Technologies Co., Ltd.

Product Name Wireless LAN Access Point

Product Model Variant AirEngine5762-12SW VER.2023

Model Number AirEngine5762-12SW

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02 Wi-Fi Enhanced Open[™] 2021-01

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA114074



Role: Access Point	ole: Access Point Page 2 of 3		
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture		
Linux Wi-Fi Component Firmware Ver.A	Bands Supported 2.4 GHz 5 GHz	Transmit (Tx) 2 2	Receive (Rx) 2 2
Certifications			
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Unschedule auto PS		
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04 EAP methods		
	WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02		
Protected Management Frames	EAP methods 192-bit security		
Spectrum & Regulatory			
802.11d 802.11h	WPA3™-Personal 2020-02 Wi-Fi Agile Multiband™		
WMM®	Automatically populate BSS Transition candidate list		
WMM®-Power Save	Wi-Fi CERTIFIED 6® A-MPDU with A-MSDU		
Legacy Power Save			



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA114074



Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED 6® (continued)

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01